

FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7

27

**PRINT** ? X

PRINTER

NAME (N) : Brother HL-2400C (BR-Script2) PROPERTY (P) 28a

STATE : IDLING

MODEL : Brother HL-2400C BR-Script2

LOCATION: 10. 154. 24: BINARY\_P1

COMMENT : ☐ OUTPUT TO FILE

REGION

☒ ALL

☐ CURRENT PAGE

☐ SPECIFY PAGES

NUMBER OF COPIES

NUMBER OF COPIES: 1

☐ PRINT IN ORDER

TYPE: TEXT ▼

TARGET: ALL PAGES ▼

OPTION (O)...

OK 28b

CANCEL

FIG.8

29a

☒ CONFIDENTIAL PRINTING 29

PASSWORD \*\*\*\*\*

CONFIRM PASSWORD \*\*\*\*\*

ADDRESS AND PHONE NUMBER

E-MAIL Tom@keitai.brother.co.jp

TEL 0904-1234567

OK 29b

CANCEL

FIG. 9




FIG. 10

Print Server Homepage

Administrator Settings

Print Private Documents

Support Link

32

FIG. 11

Enter Your Password

Name:

Password:

33a 33b 33

FIG. 12




FIG. 13




FIG. 14




FIG.15

Subject: Private Document "Annual Report [00001]" 37  
 Date: Tue, 30 Nov. 1999 11:08:15+0900  
 From: Printer1@brother.co.jp  
 To: Tom@keitai.brother.co.jp

Message: Tom, your private document "Annual Report" is spooled and ready to print. Reply your password to start print this document.

PASSWORD=  
 <Reply>

FIG.16

To: Printer@brother.co.jp  
 (From: Tom@keitai.brother.co.jp)  
 Subject: Re:Private Document "Annual Report [00001]"  
 Date: Tue, 30 Nov. 1999 11:08:25+0900

Message: Tom, your private document "Annual Report" is spooled and ready to print. Reply your password to start print this document.

PASSWORD= \*\*\*\*\*

FIG.17





FIG.18



Print Server Homepage


Administrator Settings

Print Private Documents

Support Link

39

FIG.19




Enter Admin Password

Name:

Password:

40

FIG.20



Administrator Settings

Configure Network Settings

Configure Printer Setting

41

09/15/2014 10:54:04





FIG.21

Configure Network Settings

IP Settings

IP address:

Subnet Mask:

Router address:

43                      44

42

FIG.22

To: Admin-Printer1@brother.co.jp  
 (From: Tom@keitai.brother.co.jp)  
 Subject: Administrator Setting  
 Date: Tue, 30 Nov. 1999 11:08:20+0900

NAME= admin

PASSWORD= \*\*\*\*\*

FIG.23

Subject: Re:Administrator Setting[00001]  
 Date: Tue, 30 Nov. 1999 11:08:25+0900  
 From: Admin-Printer1@brother.co.jp  
 To: Tom@keitai.brother.co.jp

Message: Tom, accepted your configuration request.  
 Current settings are:

POWER SAVE MODE= ON

TONER SAVE MODE= OFF

44

10/17

## FIG.24

To: Admin-Printer1@brother.co.jp  
(From: Tom@keitai.brother.co.jp)  
Subject: Re:Re:Administrator Setting  
Date: Tue, 30 Nov. 1999 11:08:30+0900

45

TONER SAVE MODE= ON

## FIG.25

Subject: Re:Re:Re:Administrator Setting[00001]  
Date: Tue, 30 Nov. 1999 11:08:35+0900  
From: Admin-Printer1@brother.co.jp  
To: Tom@keitai.brother.co.jp

46

Message: Tom, accepted your configuration request.  
Current settings are:

POWER SAVE MODE= ON

TONER SAVE MODE= ON

20250409T1650



FIG.26




FIG.27




FIG.28

Password is not Correct !  
Enter Your Password

Name:

Password:

47a 47b 47

FIG.29




FIG.30




FIG.31




FIG.32




FIG.33






FIG.34




FIG.35

